

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** Petroleum ether E-COLL

· **Article number:** 4317784349352, 4317784243674, 4317784524889

· **CAS Number:**  
64742-49-0

· **EC number:**  
265-151-9

· **Index number:**  
649-328-00-1

· **Registration number** 01-2119475133-43-XXXX

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Sector of Use**

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· **Application of the substance / the mixture** Solvents

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH  
EDE Platz 1  
D-42389 Wuppertal  
Germany

Tel. +49 202 6096-0

e-mail: sdb@ede.de

· **Further information obtainable from:** Product safety department

· **1.4 Emergency telephone number:** Giftinformationszentrum Mainz – Tel.: +49 (6131) 19240

## SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 2      H225 Highly flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1      H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2      H315 Causes skin irritation.

STOT SE 3      H336 May cause drowsiness or dizziness.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)

**Trade name: Petroleum ether E-COLL**

(Contd. of page 1)

· **Hazard pictograms**



GHS02   GHS07   GHS08   GHS09

· **Signal word** *Danger*

· **Hazard-determining components of labelling:**

*Naphtha (petroleum), hydrotreated light (Benzene < 0.1%)*

· **Hazard statements**

*H225 Highly flammable liquid and vapour.*

*H315 Causes skin irritation.*

*H336 May cause drowsiness or dizziness.*

*H304 May be fatal if swallowed and enters airways.*

*H411 Toxic to aquatic life with long lasting effects.*

· **Precautionary statements**

*P101 If medical advice is needed, have product container or label at hand.*

*P102 Keep out of reach of children.*

*P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*

*P261 Avoid breathing dust/fume/gas/mist/vapours/spray.*

*P243 Take precautionary measures against static discharge.*

*P271 Use only outdoors or in a well-ventilated area.*

*P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.*

*P331 Do NOT induce vomiting.*

*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· **3.1 Chemical characterisation: Substances**

· **CAS No. Description**

*64742-49-0 Naphtha (petroleum), hydrotreated light (Benzene < 0.1%)*

· **Identification number(s)**

· **EC number:** 265-151-9

· **Index number:** 649-328-00-1

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information:**

*Personal protection for the First Aider.*

*Immediately remove any clothing soiled by the product.*

· **After inhalation:**

*Supply fresh air.*

*Seek medical treatment in case of complaints.*

· **After skin contact:**

*Immediately wash with water and soap and rinse thoroughly.*

*If skin irritation continues, consult a doctor.*

· **After eye contact:**

*Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.*

(Contd. on page 3)

**Trade name: Petroleum ether E-COLL**

(Contd. of page 2)

- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide (CO)
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.  
Wear fully protective suit.
- **Additional information**  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Keep away from ignition sources.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Keep receptacles tightly sealed.  
Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:**  
Fumes can combine with air to form an explosive mixture.



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

**Trade name: Petroleum ether E-COLL**

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Provide floor trough without outlet.
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in a cool place.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.
- **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation - filter A2
- **Protection of hands:**



Protective gloves

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.  
Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.4$  mm
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Recommendation: safety glasses with side protection shield
- **Body protection:**  
Protective work clothing  
Boots  
Apron

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
- **Form:** Fluid
- **Colour:** Colourless
- **Odour:** Characteristic
- **Odour threshold:** Not determined.
- **pH-value:** Not determined.

(Contd. on page 5)

**Trade name: Petroleum ether E-COLL**

(Contd. of page 4)

|  |   |
|--|---|
| · <b>Change in condition</b><br>Melting point/Melting range: | Undetermined.   |
| Boiling point/Boiling range:                                 | > 107 °C  |
| · <b>Flash point:</b>  | 1 °C  |
| · <b>Flammability (solid, gaseous):</b>                      | Not applicable.   |
| · <b>Ignition temperature:</b>                               | 260 °C  |
| · <b>Decomposition temperature:</b>                          | Not determined.   |
| · <b>Self-igniting:</b>                                      | Not determined.   |
| · <b>Danger of explosion:</b>                                | Product is not explosive. However, formation of explosive air/vapour mixtures are possible. |
| · <b>Explosion limits:</b><br>Lower:                         | Not determined.   |
| Upper:   | Not determined.   |
| · <b>Oxidising properties</b>                                | Not determined.   |
| · <b>Vapour pressure:</b>                                    | Not determined.   |
| · <b>Density at 20 °C:</b>                                   | 0.728 g/cm <sup>3</sup>   |
| · <b>Relative density</b>                                    | Not determined.   |
| · <b>Vapour density</b>                                      | Not determined.   |
| · <b>Evaporation rate</b>                                    | Not determined.   |
| · <b>Solubility in / Miscibility with water:</b>             | Not miscible or difficult to mix.   |
| · <b>Partition coefficient (n-octanol/water):</b>            | Not determined.   |
| · <b>Viscosity:</b><br>Dynamic:                              | Not determined.   |
| Kinematic at 20 °C:  | 1 mm <sup>2</sup> /s  |
| · <b>Solvent content:</b><br>VOC (EC) %                      | 100.00 %  |
| VOC (EC) g/l   | 728.0 g/l   |
| VOCV (CH)  | 100.00 %  |
| · <b>9.2 Other information</b>                               | No further relevant information available.  |

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.

(Contd. on page 6)

**Trade name: Petroleum ether E-COLL**

(Contd. of page 5)

- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard**  
May be fatal if swallowed and enters airways.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**  
Toxic for aquatic organisms  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Also poisonous for fish and plankton in water bodies.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods:**  
Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste.  
Observe local regulations.

· **European waste catalogue**

|           |  |
|-----------|--|
| 07 06 04* | other organic solvents, washing liquids and mother liquors |
|-----------|--|

### SECTION 14: Transport information

- |                                       |   |
|---------------------------------------|---|
| · <b>14.1 UN-Number</b>               | UN1268  |
| · <b>ADR, IMDG, IATA</b>              | UN1268 PETROLEUM DISTILLATES, N.O.S., ENVIRONMENTALLY HAZARDOUS |
| · <b>14.2 UN proper shipping name</b> | PETROLEUM DISTILLATES, N.O.S., MARINE POLLUTANT                 |
| · <b>ADR</b>                          | PETROLEUM DISTILLATES, N.O.S., MARINE POLLUTANT                 |
| · <b>IMDG</b>                         | PETROLEUM DISTILLATES, N.O.S.                                   |
| · <b>IATA</b>                         | PETROLEUM DISTILLATES, N.O.S.                                   |

(Contd. on page 7)

**Trade name: Petroleum ether E-COLL**

(Contd. of page 6)

· **14.3 Transport hazard class(es)**

· **ADR, IMDG**



· **Class** 3 Flammable liquids.  
· **Label** 3

· **IATA**



· **Class** 3 Flammable liquids.  
· **Label** 3

· **14.4 Packing group**

· **ADR, IMDG, IATA** II

· **14.5 Environmental hazards:**

· **Marine pollutant:** Yes  
Symbol (fish and tree)  
· **Special marking (ADR):** Symbol (fish and tree)

· **14.6 Special precautions for user**

· **Danger code (Kemler):** Warning: Flammable liquids.  
33

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· **ADR**  
· **Limited quantities (LQ)** 1L  
· **Transport category** 2  
· **Tunnel restriction code** D/E

· **UN "Model Regulation":** UN 1268 PETROLEUM DISTILLATES, N.O.S., 3, II, ENVIRONMENTALLY HAZARDOUS

### SECTION 15: Regulatory information

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** Substance is not listed.

· **Seveso category**

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

· **National regulations:**

· **Information about limitation of use:**

Employment restrictions concerning pregnant and lactating women must be observed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 8)

**Trade name: Petroleum ether E-COLL**

(Contd. of page 7)

### **SECTION 16: Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing SDS:** Product safety department

· **Contact:**

sdb@ede.de

sdb@ede.de

· **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)*

*VOC: Volatile Organic Compounds (USA, EU)*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Flam. Liq. 2: Flammable liquids, Hazard Category 2*

*Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2*

*STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3*

*Asp. Tox. 1: Aspiration hazard, Hazard Category 1*

*Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2*